



OTARIIDS/PHOCIDS SPLASH FASTLOC® GPS SUITE


SPECIFICATION

Tag Family	Model	Argos	Fastloc®	Depth	Temperature	Light Level	Life (days) ¹	L x W x H (mm)	Weight (g)
SPLASH	SPLASH10-F-238	✓	✓	✓	✓	Optional	470	105 x 56 x 30	217
SPLASH	SPLASH10-F-296	✓	✓	✓	✓	Optional	470	86 x 85 x 29	193
SPLASH	SPLASH10-F-297	✓	✓	✓	✓	Optional	240	86 x 55 x 26	130

1) The above estimated lives are calculated assuming 250 transmissions and 24 Fastloc® acquisitions per day. Utilizing the Wet/Dry sensor and duty cycling, the life can be extended.

These tags all feature the latest Fastloc® technology for improved satellite acquisition and maximized battery and tag duration. They also incorporate tough urethane abrasion protection (body armor) and robust nitinol antennas.

Model: SPLASH10-F-297



Model: SPLASH10-F-296



Model: SPLASH10-F-238



tags@wildlifecomputers.com
WildlifeComputers.com
 +1 (425) 881-3048

8310 154th Ave NE, Suite 150
 Redmond, WA, 98052 USA

v. 18-06 8.3

This is a small representation of our available tags. Tag features and specifications subject to change without notice. Comparative scale is approximate. Argos antennas not shown to length. © Wildlife Computers. All rights reserved.

To Learn More Call: +1 (425) 881-3048 or Email: tags@wildlifecomputers.com